

## Anxiety in children with autism spectrum disorder

**Anxiety is a normal part of children’s development, but children with autism spectrum disorder (ASD) can experience anxiety more intensely and more often than other children. It can help to get your child to notice anxious feelings and use strategies for managing anxiety.**

### Anxiety or autism spectrum disorder?

Children with autism spectrum disorder (ASD) feel many of the same worries and fears as other children.

But when children with ASD get worried or anxious, the way they show their anxiety can look a lot like common characteristics of ASD – [stimming](#), [obsessive and ritualistic behaviour](#) and resistance to [changes in routine](#).



Reducing a child’s anxiety might reduce the behaviour associated with the core characteristics of ASD, but it won’t get rid of these characteristics or behaviour.

### How anxiety affects children with autism spectrum disorder

The world can be a confusing place for children with autism spectrum disorder (ASD).

They might find social or unfamiliar situations overwhelming and hard to understand. They often have difficulty working out what another person might be thinking or feeling, or how that person might react. As a result, people and situations can seem unpredictable, which can make children feel stressed and anxious.

On top of that, children with ASD, especially younger children, might have trouble telling you if they’re feeling anxious. Instead, you might notice an increase in [challenging behaviour](#). So your anxious child might:

- insist even more on routine and sameness
- have more trouble sleeping
- have meltdowns or temper tantrums
- avoid or withdraw from social situations
- rely more on obsessions and rituals, such as lining up or spinning objects
- stim – for example, rocking, spinning or flapping
- do things to hurt herself, such as head-banging, scratching skin or hand-biting.

### Reducing anxiety and managing anxiety

Anxiety is a **natural part of life** and something that everyone experiences at some stage.

You’ll never be able to get rid of everything that makes your child anxious or stressed. Even if you could, it wouldn’t be helpful for him. But there are some things you can do to help ease your child’s worries, and encourage him to manage his own anxiety levels.

#### Find out what makes your child anxious

Because children with autism spectrum disorder (ASD) can have trouble with understanding and communicating emotions, you might need to read your child’s signals and work out what makes her feel stressed.

Some of the common triggers for anxiety include:

- changes in routine – for example, when a weekly piano lesson gets cancelled because the teacher is sick
- changes in environment – for example, when some furniture gets moved, there’s new play equipment at the local park, or you move house
- unfamiliar social situations
- [sensory sensitivities](#) – children with ASD might be scared by certain noises or be sensitive to bright lights, specific flavours or food textures
- fear of a particular situation, activity or object – for example, sleeping in their own bed, going to the toilet, balloons or vacuum cleaners.

Once you’ve worked out some of the things that make your child feel anxious, it can help to **make a list** of them, so that you can find ways to help your child manage these situations.

Give your child lots of opportunities to practise dealing with these things and situations in a safe environment. It helps if other people who look after your child – for example, child care workers, teachers and family members – also know what makes your child feel anxious and what they can do to help him with managing anxiety in these situations.

#### Help your child recognise anxious feelings

Your child might need to be taught what anxiety is, what it feels like in her body – for example, her palms get sweaty, her heart beats faster, her hands flap – and what she can do to calm down.

You could try drawing an outline of a person’s body. Inside the outline, help your child draw or write what happens in each part of his body when he feels scared or worried.

#### Use relaxation and calming strategies

#### did you know?

There could be a link between the anxiety that people with ASD feel and abnormalities in the structure and size of the amygdala – a part of the brain that plays a key role in processing emotions – and how it functions.

Help your child come up with a toolbox of things she can do to help herself calm down when she starts feeling anxious or stressed. These might be:

- counting slowly to 10
- taking five deep breaths
- running around the yard five times
- doing 50 jumps on the trampoline
- looking at her collection of favourite or special things
- reading a favourite book
- closing her eyes for a few moments
- going to a quiet part of the house.

Get your child to practise these strategies when he’s calm. Once he knows the strategies well, you can gently guide him to try them when he feels anxious.

**Use visual techniques**

Because children with ASD are often visual learners, visual timetables, [Social Stories™](#), picture schedules or photographs of them in certain situations can help them know what to expect.

For example, if your child gets anxious when you drop her off at school, you could take some photos of what you’ll be doing while you’re not together. You could include photos of you driving home, grocery shopping, gardening and so on, as well as a clear picture of you coming back to pick her up. You could also have photos of what your child will be doing – walking in the school gate, sitting in the classroom, playing sport, eating lunch and so on.

If your child gets anxious when there’s a change in routine, daily or weekly [visual schedules](#) can help prepare him. When you know a change is coming up – for example, no swimming lessons during the school holidays – you can show this on your schedule. Leading up to the change, look at the schedule regularly with your child so that he knows the weekly routine will be different.

Some children find it helpful to be warned about a change or an event a day in advance. Some like to know a week in advance. But for some, too much warning can mean they worry until the event happens.

**Rehearse stressful situations**

Preparation is the key for some children with anxiety. Rehearsing or practising situations that your child finds stressful can help her understand the situation in a visual way, with the addition of physical preparation as well.

For example, if going to the hairdresser makes your child feel anxious, you could try taking him for a practice run. You could ask the hairdresser if you could come at the end of the day when it’s quiet and calm, then go through the steps with him. Or perhaps he could watch someone else get their hair cut.

If your child gets anxious in social situations you could practise these together. You could practise different situations and take turns playing different roles. Try to keep the scenarios short and simple, and encourage and praise your child.

Other parents often have great practical ideas about everyday life with a child with autism spectrum disorder (ASD). You can chat with other parents about managing your child’s anxiety in our [forum for parents of children with ASD](#).

**Getting help**

A [psychologist](#) might be able to help if your child is very anxious. Psychologists have specialised training in mental health conditions, and can work directly with your child and family to develop strategies for reducing anxiety.

Psychologists use a range of approaches, including:

- cognitive behavioural therapy – this helps children develop skills to change their thinking in situations that make them anxious
- interventions using gradual exposure to help children face their fears – for example, the [stepladder approach](#)
- Social Stories™ – these can help prepare children for unfamiliar or stressful situations that generally make them anxious.
- relaxation training to help your child learn to relax.

Mental health occupational therapists are another option to help your child with managing anxiety.

You can ask your GP or [paediatrician](#) to recommend a psychologist or therapist.

**Medication** can also help reduce anxiety symptoms in children with ASD. It’s usually recommended only when anxiety is affecting a child’s everyday life and behaviour strategies haven’t been able to reduce the anxiety enough. You can speak to your GP or paediatrician about this option.

**Video: Anxiety in social situations**

**Last Updated**  
21-11-2013

**Last Reviewed**  
21-11-2013

**Acknowledgements**  
This article was prepared with help from Lia Castorina, Helping Children with Autism Program Manager, Autism Victoria.

Follow us



[Download video](#) 47mb

[Add to favourites](#) | [Create PDF](#)

[Print](#) | [Email](#)

References

‘It’s all in the preparation’, says one of the mums in this short video about helping children with autism cope in social situations. These parents say that unfamiliar social events – children’s parties, weddings, religious events or family gatherings – can create particular anxiety. But planning ahead and preparing their children can help. Strategies from these mums and dads include social stories and social skills classes.

More to explore

- Anxiety and fears
- Generalised anxiety
- Separation anxiety
- Social anxiety
- Going to appointments: children with autism spectrum disorder